

### **Overview**

Project your notebook or tablet's high-definition video and audio content to an external display, TV, or projector with the HP USB- $C^{\text{TM}}$  to HDMI Adapter.

#### One-cable setup

Connect the adapter to your tablet or notebook's USB-C™ port and broadcast to a monitor, projector or TV through the HDMI port.

#### Ready to go

Pack the small adapter with you in your device's carrying case for quick connections wherever you work.

#### World-class support

Rest easy with a one-year limited warranty.

# **Specifications**

Minimum dimensions (W x D x H)	11 x 25 x 150 mm
Minimum dimensions (W x D x H)	0.43 x 0.98 x 5.9 in
Weight	25.4 g
Weight	0.89 oz
Minimum System Requirements	Windows 7 with Service Pack 1 (32-bit or 64-bit); Windows 8; Windows 10
Warranty	One-year limited warranty.
What's in the box	HP USB-C™ to HDMI Adapter; Documentation

### **Additional specifications**

Compatibility	HP PCs with HP Pro Tablet 608 G1
Compatible Operating Systems	Windows 7 with Service Pack 1 (32-bit or 64-bit); Windows 8; Windows 10
Connector description	USB Type-C™ male connecter
Operating temperature range	0°C ~ 40°C
Product subgroup	Adapter
UNSPSC code	43201401

## Disclaimer — Copyright

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Feb 05, 2021 4:14 PM UTC+0000